

HYGIENIC UNION FITTINGS

SMS - WELD-ON & EXPAND-ON

<u>DISCRIPTION</u>	<u>SIZE</u>	<u>GRADE</u>
NUT	1" - 4"	304
LINER	1" - 4"	304 / 316
MALE	1" - 4"	304/316
GASKET	1" - 4"	EPDM / NBR
BLANK	1" - 4"	316



- 4. STANDARDS: SMS 1145**
- 5. WORKING PRESSURE: 6 BAR MAX**
- 6. SURFACE FINISHED: RA MAX 0.8UM**

DANISH ROUND - WELD-ON & EXPAND-ON

<u>DISCRIPTION</u>	<u>SIZE</u>	<u>GRADE</u>
NUT	1" - 4"	304
LINER	1" - 4"	304 / 316
MALE	1" - 4"	304 / 316
GASKET	1" - 4"	EPDM / NBR
BLANK	1" - 4"	316



- 1. STANDARDS: DS 722**
- 2. WORKING PRESSURE: 10 BAR MAX**
- 3. SURFACE FINISHED: RA MAX 0.8UM**

HYGIENIC UNION FITTINGS

IMPERIAL - WELD-ON & EXPAND-ON

<u>DISCRIPTION</u>	<u>SIZE</u>	<u>GRADE</u>
NUT	NW25 – 100	304
LINER	1" – 4"	304 / 316
MALE	1" – 4"	304/316
GASKET	1" – 4"	EPDM / NBR
BLANK	1" – 4"	316

DIN - WELD-ON & EXPAND-ON

<u>DISCRIPTION</u>	<u>SIZE</u>	<u>GRADE</u>
NUT	DN10 – 150	304
LINER	DN10 – 150	304 / 316
MALE	DN10 – 150	304 / 316
GASKET	DN10 – 150	EPDM / NBR
BLANK	DN25 – 100	316



1. WORKING PRESSURE: DN10-40 = 40 BAR, DN50-150 = 25 BAR


2. SURFACE FINISHED: RA MAX 0.8UM

3. GASKET: EPDM, NBR, VITON & HEAVY DUTY NBR

HYGIENIC UNION FITTINGS

TRI – CLOVER (IMPERIAL)

<u>DISCRIPTION</u>	<u>SIZE</u>	<u>GRADE</u>
CLAMP	½" – 10"	304
FERRULE	1" – 10"	316
GASKET	½" – 10"	EPDM
BLANK	1 ½" – 5"	316



TRI – CLOVER (METRIC)

<u>DISCRIPTION</u>	<u>SIZE</u>	<u>GRADE</u>
CLAMP	DN10 – 200	304
FERRULE	DN10 – 200	316
GASKET	DN10 – 200	EPDM
BLANK	DN25 – 125	316



RJT – WELD-ON

<u>DISCRIPTION</u>	<u>SIZE</u>	<u>GRADE</u>
NUT	2" – 3"	304
LINER	2" – 3"	304/316
MALE	2" – 3"	304/316
GASKET	1" – 4"	NBR

